

Double Knitting

 **Patons**

PNB0000-00382

Price Code S



Knitting for Baby

18 Handknit designs in DK

for premature baby to toddler sizes

Contents and Materials

1/2. Jacket and Hat page 3

Sizes	40	45	50	55	60	cms
	16	18	20	22	24	ins

Jacket and Hat

Patons Fairytale Cuddles DK 50g balls

2	3	3	4	4	balls
---	---	---	---	---	-------

Patons Fairytale DK 50g balls

3	3	4	4	5	balls
---	---	---	---	---	-------

Jacket

Pair needles each size 4mm (UK8-USA6) and 3¼mm (UK10-USA3).
9(10-10-11-11) buttons.

Hat

Pair needles each size 3¼mm (UK9-USA5) and 4mm (UK8-USA6)

3/5. Cardigans and Bonnet page 4

Sizes	35	40	45	50	55	cms
	14	16	18	20	22	ins

Cardigan and Bonnet

Patons Fairytale Cuddles DK 50g balls

2	2	2	3	3	balls
---	---	---	---	---	-------

Patons Fairytale DK 50g balls

2	2	3	3	4	balls
---	---	---	---	---	-------

Pair needles each size 4mm (UK8-USA6) and 3¼mm (UK10-USA3).
1 button for Cardigans. 1 button for Bonnet.

6/7. Plain and Striped Sweaters page 6

Sizes	35	40	45	50	55	cms
	14	16	18	20	22	ins

Plain Sweater

Patons Fairytale Cuddles DK 50g balls

2	2	2	3	3	balls
---	---	---	---	---	-------

Patons Fairytale DK 50g balls

2	3	3	3	4	balls
---	---	---	---	---	-------

Striped Sweater

Patons Fairytale Cuddles DK 50g balls

Main Colour (M)	1	2	2	2	3	balls
Contrast Colour (C)	1	1	1	1	1	ball

Patons Fairytale DK 50g balls

Main Colour (M)	2	2	2	3	3	balls
Contrast Colour (C)	1	1	1	1	1	ball

Pair needles each size 4mm (UK8-USA6) and 3¼mm (UK10-USA3).
2(2-3-3-3) buttons.

8/9. Coat and Bonnet page 9

Sizes	35	40	45	50	55	cms
	14	16	18	20	22	ins

Patons Fairytale Cuddles DK 50g balls

2	3	4	4	6	balls
---	---	---	---	---	-------

Patons Fairytale DK 50g balls

3	4	4	5	7	balls
---	---	---	---	---	-------

Pair needles each size 4mm (UK8-USA6) and 3¼mm (UK10-USA3).
3 buttons for Coat. 1 button for Bonnet.

10/11. Cabled Waistcoat and Cardigan . page 12

Sizes	40	45	50	55	60	cms
	16	18	20	22	24	ins

Patons Fairytale Cuddles DK 50g balls

Waistcoat	1	2	2	2	3	balls
Cardigan	2	2	3	4	4	balls

Patons Fairytale DK 50g balls

Waistcoat	2	2	2	3	3	balls
Cardigan	2	3	3	4	5	balls

Pair needles each size 4mm (UK8-USA6) and 3¼mm (UK10-USA3).
Cable Needle. 4(4-5-5-6) buttons.

12/13. Heart Cardigan and Blanket page 14

Cardigan Sizes	35	40	45	50	55	cms
	14	16	18	20	22	ins

Patons Fairytale Cuddles DK 50g balls

Cardigan

Main Colour (M)	2	2	2	3	3	balls
Oddment in Contrast Colour B.						

Blanket

Main Colour (M)					4	balls
Contrast Colour A					1	ball
Contrast Colour B					2	balls

Patons Fairytale DK 50g balls

Cardigan

Main Colour (M)	2	2	3	3	4	balls
Oddment in Contrast Colour B.						

Blanket

Main Colour (M)					4	balls
Contrast Colour A					1	ball
Contrast Colour B					3	balls

Pair needles each size 4mm (UK8-USA6) and 3¼mm (UK10-USA3).
3(3-4-4-4) buttons for Cardigan.

14. Hooded Jacket page 17

Sizes	35	40	45	50	55	cms
	14	16	18	20	22	ins

Patons Fairytale Cuddles DK 50g balls

2	3	3	4	5	balls
---	---	---	---	---	-------

Patons Fairytale DK 50g balls

3	3	4	5	6	balls
---	---	---	---	---	-------

Pair needles each size 4mm (UK8-USA6) and 3¼mm (UK10-USA3).
5(5-6-7-7) buttons or toggles.

15/18. Cardigans, Hat and Bootees page 18

Sizes	35	40	45	50	55	cms
	14	16	18	20	22	ins

Patons Fairytale Cuddles DK 50g balls

Cardigan	1	2	2	2	3	balls
Hat and Bootees	1	1	1	2	2	balls

Patons Fairytale DK 50g balls

Cardigan	2	2	2	3	4	balls
Hat and Bootees	1	2	2	2	2	balls

Pair needles each size 4mm (UK8-USA6) and 3¼mm (UK10-USA3).
4(4-4-5-5) buttons for V-Neck Cardigan, 5(5-5-6-6) buttons for Round
Neck Cardigan. Length of narrow ribbon for Bootees.

Please note that illustrated shades may differ from those currently
available.



**Coats
Crafts UK**

www.coatscrafts.co.uk

for all up-to-date news, designs, product information and ideas.

Coats Crafts Uk, P.O. Box 22, Lingfield, McMullen Road, Darlington, Co Durham DL1 1YQ.

Tel: (01325) 394237

General Notes

Tension

For best results always read the complete instruction and check the tension before starting work. If the tension piece measures less than the required width try a size larger needle. If the tension piece measures more than the required width try a size smaller needle. Where tensions are given over st st for a patterned garment, check your tension in st st. If you have to use a different needle size to obtain this tension a similar adjustment must be made to the needle sizes used in the patterns. A proper fit and correct size of finished garment is only possible with the correct tension.

©2001 Designed and published by Glenwell Associates Ltd., PO Box 125, Hatfield, AL9 7ZT.

WARNING - COPYRIGHT. This publication is protected by the law of copyright and may not be reproduced or copied either by photocopying or in any other way. It is sold on condition that it is only used for non-commercial purposes. All other rights are expressly reserved by Glenwell Associates Ltd.

Printed in England 623 11 54321

Notes

Figures in round brackets refer to the larger sizes. Figures or instructions in square brackets, [], should be repeated as stated after the brackets.

The quantities of yarn stated in this publication are based on average requirements and are therefore approximate.

Abbreviations

Alt = alternate; beg = beginning; cms = centimetres; dec = decrease; foll = following; inc = increase; ins = inches; k = knit; p = purl; patt = pattern; psso = pass slipped stitch over; rem = remain(ing); rep = repeat; sl = slip; st(s) = stitch(es); st st = stocking stitch (1 row knit, 1 row purl); tbl = through back of loop; tog = together; yb = yarn back; yf = yarn forward; yfrn = yarn forward and round needle; yon = yarn over needle; yrn = yarn round needle; 0 = no sts, times or rows to be worked for that particular size.

Pressing

Always press each piece on wrong side of work avoiding ribbing.

Wool: Using a hot iron and a damp cloth, steam each piece thoroughly without allowing the weight of the iron to rest on the work. While the knitting is still damp pin out, the press lightly again and allow to dry.

Synthetic yarns: Press lightly on wrong side using a warm iron and a dry cloth (avoiding ribbings) except when label states that yarn should not be pressed.

U.S.A. Glossary

Cast off = bind off; tension = gauge; pick up and knit = knit up; stocking st = stockinette st; yarn forward, yarn round needle, yarn over needle and yarn forward and over needle = yarn over; knitwise/purlwise = knitways/purlways.

1/2. Jacket & Hat

(Shown on front cover)

Measurements

To fit Chest Sizes

40	45	50	55	60	cms
16	18	20	22	24	ins

Finished Measurement

48	54	59	65	70	cms
19	21½	23½	26	28	ins

Length to Shoulder

22	25	28	33	38	cms
8½	10	11	13	15	ins

Sleeve Length

14	17	20	24	28	cms
5½	6¾	8	9½	11	ins

Tension

22 sts and 30 rows = 10 cms [4 ins] over st st using 4 mm needles.

Jacket Back

Using 3¼mm needles cast on 53(59-65-71-77) sts and work 9 rows in garter st (every row k - first row is wrong side).

Change to 4mm needles and commence patt:

1st row (right side): P1(0-1-0-1), k3, *p1, k3; rep from * to last 1(0-1-0-1) st, p1(0-1-0-1).

2nd row: P2(1-2-1-2), k1, *p3, k1; rep from * to last 2(1-2-1-2) sts, p2(1-2-1-2).

These 2 rows form patt.

Cont in patt until Back measures 11(13-15-18-22) cms, ending with a wrong side row.

Shape Armholes

Keeping patt correct cast off 2 sts at beg of next 2 rows. Dec 1 st at each end of next 3 rows then foll 1(1-2-2-2) alt rows. 41(47-51-57-63) sts. Work 3 rows in garter st, thus ending with a wrong side row.

Now work in st st until armholes measure 11(12-

13-15-16) cms from start of shaping, ending with a p row.

Shape Shoulders

Cast off 5(6-7-8-9) sts at beg of next 2 rows, then 6(7-7-8-9) sts at beg of foll 2 rows. Cast off rem 19(21-23-25-27) sts.

Right Front

Using 3¼mm needles cast on 28(31-34-37-40) sts and work 9 rows in garter st.

Change to 4mm needles and commence patt:

1st row (right side): K7(7-5-5-7) *p1, k3; rep from * to last 1(0-1-0-1) st, p1(0-1-0-1).

2nd row: P2(1-2-1-2), k1, *p3, k1; rep from * to last 5(5-7-7-5) sts, p1(1-3-3-1), k4.

These 2 rows form patt and garter st front border.

Rep these 2 rows until Front measures same as Back to start of armhole shaping ending with a right side row.

★ Shape Armhole

Keeping patt correct cast off 2 sts at beg of next row. (Work 1 row straight here for Left Front). Dec 1 st at armhole edge on next 3 rows then foll 1(1-2-2-2) alt rows. 22(25-27-30-33) sts. Work 3 rows in garter st across all sts, thus ending with a wrong side row.

Keeping garter st border correct, work rem sts in st st until Front is 12(12-14-14-16) rows shorter than Back to start of shoulder shaping (work 1 row less here for Left Front), thus ending at front edge.

Shape Front Neck

Cast off 6(7-7-8-8) sts at beg of next row. Dec 1 st at neck edge on next 3 rows then on foll 2(2-3-3-4) alt rows. 11(13-14-16-18) sts. Work 5 rows straight, thus ending at armhole edge.

Shape Shoulder

Cast off 5(6-7-8-9) sts at beg of next row. Work 1 row. Cast off rem 6(7-7-8-9) sts.

Mark positions on garter st border for 4(5-5-6-6) buttons, the first one 3 cms above garter st welt and the top one 1 cm below cast off edge. Space

remaining 2(3-3-4-4) buttons evenly between.

Left Front

Using 3¼mm needles cast on 28(31-34-37-40) sts and k 1 row, then **Shape Welt** as follows:

2nd row: K to last 2 sts, inc in next st, k1.

3rd row: Inc in first st, k to end.

4th row: As 2nd row.

5th row (buttonhole): Inc in first st, k3, k2tog, yf, k to end. 32(35-38-41-44) sts.

6th row: K to last 2 sts, k2tog.

7th row: K2tog, k to end.

Rep the last 2 rows once more. 28(31-34-37-40) sts.

Change to 4mm needles and commence patt:

1st row (right side): P1(0-1-0-1), *k3, p1; rep from * to last 7(7-5-5-7) sts, k7(7-5-5-7).

2nd row: K4, p1(1-3-3-1), k1, *p3, k1; rep from * to last 2(1-2-1-2) sts, p2(1-2-1-2).

These 2 rows form patt and garter st front border.

Making buttonholes in garter st border on right side rows to match markers as follows: Work to last 3 sts, yf, k2tog, k1, rep the last 2 rows until Front measures same as Back to start of armhole shaping ending with a wrong side row.

Complete as given for Right Front from ★ to end reversing shaping by working 1 row more and 1 row less where indicated.

Sleeves

Using 3¼mm needles cast on 33(35-37-39-41) sts.

Left Sleeve Cuff: Work the 9 rows of garter st as given for Welt of Left Front omitting buttonhole. 33(35-37-39-41) sts.

Right Sleeve Cuff: Work to match Left Sleeve Cuff, reversing shaping by working inc and dec at other end of rows.

Both Sleeves: Change to 4mm needles and work 4 rows in patt as given for Back. Keeping patt correct and bringing extra sts into patt, inc 1 st at each end of next and every foll 2nd(2nd-4th-

4th-4th) row until there are 41(39-51-65-59) sts, then every foll 4th(4th-6th-6th-6th) row until there are 49(53-57-67-71) sts. Work straight until sleeve measures 14(17-20-24-28) cms, or required length ending with a wrong side row.

Shape Top

Keeping patt correct cast off 2 sts at beg of next 2 rows. Dec 1 st at each end of next 3 rows, then on foll 1(1-2-2-2) alt rows. Cast off rem 37(41-43-53-57) sts.

Collar

Using 3¼mm needles cast on 65(71-75-81-87) sts and work in garter st (first row is wrong side) until Collar measures 4(4-5-5-5) cms ending with a wrong side row.

Cast off 5(5-6-6-7) sts at beg of next 8 rows. Cast off rem 25(31-27-33-31) sts.

Front Flaps (Make 2)

Using 3¼mm needles cast on 11(11-13-13-15)

sts and work 5(5-7-7-9) rows in garter st (first row is wrong side). Dec 1 st at each end of next 4(4-5-5-6) rows. 3 sts. K3tog and fasten off.

To Finish

Read pressing instructions on page 3. Join shoulder and side seams. Join sleeve seams overlapping shaped edge over straight edge of cuffs. Insert sleeves. Sew shaped edge of collar to neck edge starting and finishing halfway across front bands and easing in to fit. Sew flaps in place along first ridge of garter st on fronts as illustrated. Sew on buttons to front to correspond with buttonholes, then sew a button to each cuff and each flap as illustrated.

Hat

Using 3¼mm needles cast on 73(79-91-97-103) sts and work 6 cms in st st ending with a p row. Change to 4mm needles and cont in st st until Hat measures 16(17-18-18-19) cms ending with a p row.

Shape Crown

1st row: K1, *sl 1, k2tog, pssso, k9(10-12-13-14); rep from * to end. 61(67-79-85-91) sts.

2nd and every alt row: P.

3rd row: K1, *sl 1, k2tog, pssso, k7(8-10-11-12); rep from * to end. 49(55-67-73-79) sts.

5th row: K1, *sl 1, k2tog, pssso, k5(6-8-9-10); rep from * to end. 37(43-55-61-67) sts.

Cont to dec 12 sts in this way on foll 1(2-3-3-4) alt rows. 25(19-19-25-19) sts.

Next row: P1, *p2tog; rep from * to end.

Break yarn, thread through rem 13(10-10-13-10) sts, draw up firmly and fasten off.


To Finish

Join back seam reversing seam on first 6 cms for brim.

Stalk: Using 3¼mm needles cast on 14 sts, then cast off knitwise.

Leave brim to roll onto itself. Fold stalk in half to form a loop and sew firmly to centre of crown.

3-5. Cardigans & Bonnet



Measurements

To Fit Chest Sizes

35	40	45	50	55	cms
14	16	18	20	22	ins

Finished Measurement

41	47	52	58	63	cms
16½	19	21	23	25	ins

Length to Back Neck

20	23	27	32	36	cms
8	9	10½	12½	14	ins

Sleeve Seam

10	13	16	19	23	cms
4	5	6½	7½	9	ins

Tension

22 sts and 30 rows = 10 cms [4 ins] over st st using 4mm needles.

V-Neck Cardigan

Back and Fronts (Worked in one piece to armholes)

Using 4mm needles cast on 91(103-115-127-139) sts.

1st row (right side): K1, *yfrn, p1, p3tog, p1, yon, k1; rep from * to end.

2nd row: K1, p to last st, k1.

3rd row: Knit.

4th row: As 2nd row.

These 4 rows form the edging patt. Rep these 4 rows 1(1-2-2-3) times more.

Commence Main Patt:

1st row: K1, yfrn, p1, p3tog, p1, yon, k to last 6 sts, yfrn, p1, p3tog, p1, yon, k1.

2nd row: K1, p to last st, k1.

3rd row: Knit.

4th row: As 2nd row.

Rep these 4 rows until piece measures 12(14-16-19-22) cms or required length to armholes ending with a wrong side row.

Divide for Raglan Armholes

Next row: Patt 21(24-27-30-33), cast off next 4 sts, k until there are 41(47-53-59-65) sts on right hand needle after casting off, cast off next 4 sts, patt to end.

Next row: Patt 21(24-27-30-33), turn and work on these sts first for **Left Front**. ★

Next row: K2, p2tog, k to last 8 sts, k2tog, patt 6.

Next row: K1, p to end.

Rep the last 2 rows until 11(12-15-24-27) sts rem ending with the dec row.

3rd, 4th and 5th sizes only: Cont to dec 1 st at raglan edge as before on every alt row, now dec 1 st at front edge inside border sts as before on every foll 4th row (1-4-5) times. 12 sts.

2nd, 3rd, 4th and 5th sizes: Dec 1 st at raglan edge only on foll alt row. 11 sts.

All sizes

Next row: K1, p to end.

Next row: K2, p3tog, patt to end. 9 sts.

Next row: K1, p8.

Next row: K2, p2tog, k5.

Next row: K1, p7.

Next row: K2, p3tog, k3.

Next row: K1, p5.

Next row: K2, p2tog, k2. 5 sts.

Next row: K1, p4.

Next row: K2, p3tog.

Next row: K1, p2.

Next row: P1, p2tog.

Next row: P2tog and fasten off.

★★ With wrong side facing rejoin yarn to next st at division for armholes, p41(47-53-59-65), turn and work on these sts for **Back**.

Next row: K2, p2tog, k to last 4 sts, p2tog, k2.

Next row: P.

Rep the last 2 rows until 23(25-27-27-29) sts rem ending with the p row.

Next row: K2, p3tog, k to last 5 sts, p3tog, k2.

Next row: P. ★★

Next row: P2, p3tog, p to last 5 sts, p3tog, p2.

Next row: P.

Cast off rem 15(17-19-19-21) sts purlwise.

With wrong side facing rejoin yarn to next st at division for armholes, patt to end, turn and work on these 21(24-27-30-33) sts for **Right Front**.

Next row: Patt 6, sl 1, k1, pssso, knit to last 4 sts, p2tog, k2.

Next row: P to last st, k1.

Rep the last 2 rows until 11(12-15-24-27) sts rem ending with the dec row.

3rd, 4th and 5th sizes only: Cont to dec 1 st at raglan edge as before on every alt row, now dec 1 st at front edge inside border sts as before on every foll 4th row (1-4-5) times. 12 sts.

2nd, 3rd, 4th and 5th sizes: Dec 1 st at raglan edge only on foll alt row. 11 sts.

All sizes

Next row: P to last st, k1.

Next row: Patt to last 5 sts, P3tog, k2. 9 sts.

Next row: P8, k1.

Next row: K5, p2tog, k2.

Next row: P7, k1.

Next row: K3, p3tog, k2.

Next row: P5, k1.

Next row: K2, p2tog, k2. 5 sts.



Next row: P4, k1.
Next row: P3tog, k2.
Next row: P2, k1.
Next row: P2tog, p1.
Next row: P2tog and fasten off.

Sleeves

Using 4mm needles cast on 31(31-37-37-43) sts and work the 4 rows of edging patt as given for Back and Fronts 2(2-3-3-4) times.

Work 4 rows in st st. Inc 1 st at each end of next and every foll 4th(4th-4th-4th-6th) row until there are 39(43-49-53-59) sts.

Work straight until sleeve measures 10(13-16-19-23) cms or required length ending with a purl row.

Shape Raglan Top

Cast off 2 sts at beg of next 2 rows.

3rd row: K2, p2tog, k to last 4 sts, p2tog, k2.

4th row: Purl.

Rep the last 2 rows until 19(19-23-19-23) sts rem ending with the p row.

Next row: K2, p3tog, k to last 5 sts, p3tog, k2.

Next row: Purl. ★

Rep the last 2 rows 1(1-2-1-2) times more.

Next row: P2, p3tog, p to last 5 sts, p3tog, p2.

Next row: P.

Cast off rem 7 sts, purlwise.

To Finish

Read pressing instructions on page 3. Join raglan and sleeve seams.

Sew button to left front edge 1 cm below start of front slope. Use a hole in lace pattern as a buttonhole.

Round Neck Cardigan

Back and Fronts

Work as given for Back and Fronts of V-Neck Cardigan to ★.

Next row: K2, p2tog, patt to end.

Next row: K1, p to end.

Rep the last 2 rows until 15(16-18-18-20) sts rem ending with the dec row.

Shape Neck

Next row: Patt 3(4-4-4-4), sl these sts onto a safety pin, p to end.

Cont to dec 1 st at raglan edge as before on next and every alt row, **at the same time** dec 1 st at neck edge on next 3 rows, then foll 1(1-2-2-3) alt rows. 5 sts.

Next row: Purl

Next row: K2, p3tog.

Next row: Purl

Next row: K1, p2tog.

Next row: P2tog and fasten off.

Work as given for V-Neck Cardigan from ★★ to ★★. Rep the last 2 rows once more. Slip rem 15(17-19-19-21) sts onto a holder.

With wrong side facing, rejoin yarn to next st at division for armholes patt to end, turn and work on these 21(24-27-30-33) sts for Right Front.

Next row: Patt to last 4 sts, p2tog, k2.

Next row: P to last st, k1.

Rep the last 2 rows until 15(16-18-18-20) sts rem ending with the wrong side row.

Shape Neck

Next row: K3(4-4-4-4) sl these sts onto a safety pin, k to last 4 sts, p2tog, k2.

Cont to dec 1 st at raglan edge as before on every alt row, **at the same time** dec 1 st at neck edge on next 3 rows, the foll 1(1-2-2-3) alt rows. 5 sts.

Next row: P3tog, k2.

Next row: Purl.

Next row: P2tog, k1.

Next row: P2tog and fasten off.

Sleeves

Work as given for Sleeves of V-Neck Cardigan to ★. Rep the last 2 rows 2(2-3-2-3) times more. Slip rem 7 sts onto a holder.

To Finish

Read pressing instructions on page 3. Join raglan and sleeve seams.

Neckband: Slip 3(4-4-4-4) sts at right front neck onto a 3/4mm needle, then with right side facing pick up and k9(9-11-11-13) sts up right front

slope, k across 7 sts at right sleeve top, 15(17-19-19-21) sts at back neck and 7 sts at left sleeve top, pick up and k9(9-11-11-13) sts down left front slope, then k across 3(4-4-4-4) sts at left front neck. 53(57-63-63-69) sts.

Next row: Knit

Next row (buttonhole): K1, k2tog, yf, knit to end.

Work 2 more rows in garter st. Cast off knitwise.

Sew on button.

Bonnet

Using 4mm needles cast on 55(61-67-67-73) sts and work the 4 rows of edging patt as given for Back and Fronts of V-Neck Cardigan 2(2-3-3-4) times.

Work in st st until bonnet measures 9(10-10-11-11) cms ending with a k row. Work 3 rows in garter st.

Shape Back

1st row: K1, *k2tog, k7(8-9-9-10); rep from * to end. 49(55-61-61-67) sts rem.

2nd row: K.

3rd row: K1, *k2tog, k6(7-8-8-9); rep from * to end. 43(49-55-55-61) sts rem.

4th row: K.

5th row: K1, *k2tog, k5(6-7-7-8); rep from * to end. 37(43-49-49-55) sts rem.

Cont to dec 6 sts in this way on every alt row until 13 sts rem ending with the wrong side row.

Next row: K1, *k2tog; rep from * to end.

Break yarn, thread through rem 7 sts, draw up firmly and fasten off.

Finishing and Edging

Join back seam from start of garter st.

Neck Edging: Using 3/4mm needles and with right side facing, pick up and k39(43-43-47-47) sts evenly around lower edge of bonnet, turn and cast on 16(19-19-22-22) sts. 55(62-62-69-69) sts. Work 3 rows in garter st.

Next row (buttonhole): K to last 4 sts, yf, k2tog, k2.

Work 2 more rows in garter st. Cast off knitwise.

Sew on button to end of neckband.

6/7. Plain & Striped Sweaters

Measurements

To fit Chest Sizes

35	40	45	50	55	cms
14	16	18	20	22	ins

Finished Measurement

41	46	52	57	64	cms
16½	18½	21	23	25½	ins

Length to Back Neck

20	23	29	34	38	cms
8	9	11½	13½	15	ins

Sleeve Length

10	13	16	19	23	cms
4	5	6½	7½	9	ins

Tension

22 sts and 30 rows = 10 cms [4 ins] over st st using 4mm needles.

Special Abbreviation

KB1 = Knit into back of next st.

Plain Sweater Back

Using 4mm needles cast on 49(55-63-69-77) sts and k1 row.

Commence Rice St Patt

1st row (right side): P1, *KB1, p1; rep from * to end.

2nd row: Knit.

These 2 rows form rice st. Rep these 2 rows until

Back measures 12(14-18-21-23) cms ending with a wrong side row.

Shape Raglan Armholes

Keeping patt correct cast off 2(2-2-2-3) sts at beg of next 2 rows.

2nd row: K1, sl 1, k1, psso, patt to last 3 sts, k2tog, k1.

4th row: P2, k to last 2 sts, p2. ★

Rep the last 2 rows until 25(27-29-29-31) sts rem ending with the wrong side row.

Next row: K1, sl 1, k2tog, psso, patt to last 4 sts, k3tog, k1.

Next row: P2, k to last 2 sts, p2.

Rep the last 2 rows once more. Slip rem 17(19-21-21-23) sts onto a holder.





Front

Work as given for Back to ★.

Rep the last 2 rows until 31(33-37-41) sts rem ending with the dec row.

Shape Front Neck

Next row: Work 12(12-14-14-16) sts, turn and complete this side first.

Cont to dec 1 st at raglan edge as before on next and every alt row **at the same time** dec 1 st at neck edge on next 3 rows, then foll 1(1-2-2-3) alt rows. 5 sts. Work 1 row.

Next row: Patt 1, k3tog, k1.

Next row: P2, k1.

Next row: K2tog, k1.

Next row: P2tog and fasten off.

Slip next 7(9-9-9-9) sts at centre onto a holder. With wrong side facing rejoin yarn to rem 12(12-14-14-16) sts and k to last 2 sts, p2.

Cont to dec 1 st at raglan edge as before on next and every alt row **at the same time** dec 1 st at neck edge on next 3 rows, then foll 1(1-2-2-3) alt rows. 5 sts. Work 1 row.

Next row: K1, sl 1, k2tog, psso, patt 1.

Next row: K1, p2.

Next row: K1, sl 1, k1, psso.

Next row: P2tog tbl and fasten off.

Sleeves

Using 3¼mm needles cast on 31(33-35-37-39) sts.

1st row (right side): K1, *p1, k1; rep from * to end.

2nd row: P1, *k1, p1; rep from * to end.

Rep the last 2 rows 3 times more.

Change to 4mm needles and working in st st throughout, inc 1 st at each end of 5th and every foll 2nd(4th-4th-4th-4th) row until there are

37(41-47-47-49) sts, then every foll 6th row until there are 39(43-49-53-59) sts.

Work straight until sleeve measures 10(13-16-19-23) cms, or required length ending with a p row.

Shape Raglan Top

Cast off 2(2-2-2-3) sts at beg of next 2 rows.

3rd row: K1, sl 1, k1, psso, k to last 3 sts, k2tog, k1.

4th row: P.

Rep the last 2 rows until 19(19-19-15-11) sts rem ending with a p row.

Next row: K1, sl 1, k2tog, psso, k to last 4 sts, k3tog, k1.

Next row: P.

Rep the last 2 rows 2(2-2-1-0) times more.

Slip rem 7 sts onto a holder.

Finishing, Edgings and Collar

Read pressing instructions on page 3. Join back raglan seams and right front raglan seam. Join first 2(2-2-3-4) cms of left front raglan seam.

Button Band: Using 3¼mm needles and with right side facing pick up and 12(14-18-20-20) sts evenly along sleeve edge of raglan opening. Work 4 rows in garter st (every row k), then cast off **loosely**.

Buttonloop Band: Using 3¼mm needles and with right side facing pick up and k12(14-18-20-20) sts evenly along front edge of raglan opening.

Next row (buttonloops): Cast off 2, [insert left-hand needle into front of st on right-hand needle, yf and through st, drop st from left-hand needle] 4 times (1 buttonloop made), *cast off 5(5-5-6-6) sts (including st on right-hand needle), make buttonloop as before; rep from * 0(0-1-1-1) times more, cast off rem 5(7-6-6-6) sts.

Collar: Using 3¼mm needles with right side facing, pick up and K10(10-12-12-14) sts down left front slope, k across 7(9-9-9-9) sts on holder at centre front neck, pick up and K10(10-12-12-14) sts up right front slope, then k7 sts at top of right sleeve, k17(19-21-21-23) sts at back neck increasing 1 st at centre and k7 sts at top of left sleeve. 59(63-69-69-75) sts.

Work 5(6-6-7-7) cms in k1, p1 rib as given for Sleeves. Cast off loosely in rib.

Join side and sleeve seams. Sew side edge of button band neatly in place at beginning of opening. Sew on buttons to correspond with buttonloops.

Striped Sweater

Work as given for Plain Sweater but working Rice St Patt on Back and Front in 2 rows in C and 2 rows in M throughout.

8/9. Coat & Bonnet

Measurements

To Fit Chest Sizes

35	40	45	50	55	cms
14	16	18	20	22	ins

Coat

Finished Measurement at Chest

40	45	50	54	59	cms
16	18	20	21½	23½	ins

Length to Shoulder (approx)

24	28	32	36	41	cms
9½	11	13	14½	16½	ins

Sleeve Seam

10	13	16	19	23	cms
4	5	6½	7½	9	ins

Tension

22 sts and 30 rows = 10 cms [4 ins] over st st using 4mm needles.

Coat

Note: When counting sts count the 2 sts of 'knit into front and back of next st' as 1 st throughout.

Back

Using 4mm needles cast on 118(132-146-160-174) sts.

1st row (right side): P6, *knit into front and back of next st, p6; rep from * to end.

2nd row: K6, *p2tog, k6; rep from * to end.

Rep these 2 rows 4(5-7-8-8) times more.

Next row (decrease): P2, p2tog, p2, *knit into front and back of next st, p2, p2tog, p2; rep from * to end.

Next row: K5, *p2tog, k5; rep from * to end. 101(113-125-137-149) sts.

Next row: P5, *knit into front and back of next st, p5; rep from * to end.

Rep the last 2 rows 3(4-5-6-8) times more, then the first of these rows again.

Next row (decrease): P2, p2tog, p1, *knit into front and back of next st, p2, p2tog, p1; rep from * to end.

Next row: K4, *p2tog, k4; rep from * to end. 84(94-104-114-124) sts.

Next row: P4, *knit into front and back of next st, p4; rep from * to end.

Rep the last 2 rows 3(4-5-6-8) times more, then the first of these rows again.

Next row (decrease): P1, p2tog, p1, *knit into front and back of next st, p1, p2tog, p1; rep from * to end.

Next row: K3, *p2tog, k3; rep from * to end. 67(75-83-91-99) sts.

Next row: P3, *knit into front and back of next st, p3; rep from * to end.

Rep the last 2 rows 3(4-5-6-8) times more, then the first of these rows again.

Next row: P1, p2tog, *knit into front and back of next st, p1, p2tog; rep from * to end.

Next row: K2, * p2tog, k2; rep from * to end. 50(56-62-68-74) sts.

Next row: P2, *knit into front and back of next st, p2; rep from * to end.

Rep the last 2 rows twice more, then the first of these rows again.

Shape Armholes

Keeping patt correct cast off 4(6-6-7-7) sts at beg of next 2 rows. 42(44-50-54-60) sts. Work straight until armholes measure 8(9-10-11-12) cms ending with a wrong side row.

Shape Shoulders

Cast off 6(6-7-8-9) sts at beg of next 2 rows then 6(7-8-8-9) sts at beg of foll 2 rows. Cast off rem 18(18-20-22-24) sts.

Left Front

Using 4mm needles cast on 60(67-74-81-88) sts.

1st row (right side): P6, *knit into front and back of next st, p6; rep from * to last 5 sts, k5.

2nd row: K11, *p2tog, k6; rep from * to end.

Rep these 2 rows 4(5-7-8-8) times more.

Next row (decrease): P2, p2tog, p2, *knit into front and back of next st, p2, p2tog, p2; rep from * to last 5 sts, k5.

Next row: K10, *p2tog, k5; rep from * to end. 52(58-64-70-76) sts.

Next row: P5, *knit into front and back of next st, p5; rep from * to last 5 sts, k5.

Rep the last 2 rows 3(4-5-6-8) times more, then the first of these rows again.

Next row (decrease): P2, p2tog, p1, *knit into front and back of next st, p2, p2tog, p1; rep from * to last 5 sts, k5.

Next row: K9, *p2tog, k4; rep from * to end. 44(49-54-59-64) sts.

Next row: P4, *knit into front and back of next st, p4; rep from * to last 5 sts, k5.

Rep the last 2 rows 3(4-5-6-8) times more, then the first of these rows again.

Next row (decrease): P1, p2tog, p1, *knit into front and back of next st, p1, p2tog, p1; rep from * to last 5 sts, k5.

Next row: K8, *p2tog, k3; rep from * to end. 36(40-44-48-52) sts.

Next row: P3, *knit into front and back of next st, p3; rep from * to last 5 sts, k5.

Rep the last 2 rows 3(4-5-6-8) times more, then the first of these rows again.

Next row: P1, p2tog, *knit into front and back of next st, p1, p2tog; rep from * to last 5 sts, k5.

Next row: K7, *p2tog, k2; rep from * to end. 28(31-34-37-40) sts.

Next row: P2, *knit into front and back of next st, p2; rep from * to last 5 sts, k5.

Rep the last 2 rows twice more, then the first of these rows again.

★ Shape Armhole

Keeping patt correct cast off 4(6-6-7-7) sts at beg of next row. 24(25-28-30-33) sts. Work straight until Front is 13(13-15-15-17) rows shorter than back to start of shoulder shaping (work 1 row more here for Right Front), thus ending at front edge.

Shape Neck

Cast off 7(7-7-8-8) sts at beg of next row. Dec 1 st at neck edge on next 3(3-3-3-5) rows, then every alt row 2(2-3-3-2) times. 12(13-15-16-18) sts. Work 5(5-5-5-7) rows straight, thus ending at armhole edge.

Shape Shoulder

Cast off 6(6-7-8-9) sts at beg of next row. Work 1 row. Cast off rem 6(7-8-8-9) sts.

Mark positions on garter st border for 3 buttons, the first level with last dec row before start of armhole shaping and the 3rd 1 cm below start of neck shaping. Space rem button halfway between.

Right Front

Using 4mm needles cast on 60(67-74-81-88) sts.

1st row (right side): K5, p6, *knit into front and back of next st, p6; rep from * to end.

2nd row: *K6, p2tog; rep from * to last 11 sts, k11.

Rep these 2 rows 4(5-7-8-8) times more.

Next row (decrease): K5, p2, p2tog, p2, *knit into front and back of next st, p2, p2tog, p2; rep from * to end.

Next row: *K5, p2tog; rep from * to last 10 sts, k10. 52(58-64-68-76) sts.

Next row: K5, p5, *knit into front and back of next st, p5; rep from * to end.

Rep the last 2 rows 3(4-5-6-8) times more, then the first of these rows again.

Next row (decrease): K5, p2, p2tog, p1, *knit into front and back of next st, p2, p2tog, p1; rep from * to end.

Next row: *K4, p2tog; rep from * to last 9 sts, k9. 44(49-54-59-64) sts.

Next row: K5, p4, *knit into front and back of next st, p4; rep from * to end.

Rep the last 2 rows 3(4-5-6-8) times more, then the first of these rows again.

Next row (decrease): K5, p1, p2tog, p1, *knit into front and back of next st, p1, p2tog, p1; rep from * to end.

Next row: *K3, p2tog; rep from * to last 8 sts, k8. 36(40-44-48-52) sts.

Next row: K5, p3, * knit into front and back of next st, p3; rep from * to end.

Rep the last 2 rows 3(4-5-6-8) times more, then the first of these rows again.

Next row (buttonhole and decrease): K1, k2tog, yf, k2, p1, p2tog, *knit into front and back of next st, p1, p2tog; rep from * to end.

Next row: *K2, p2tog; rep from * to last 7 sts, k7. 28(31-34-37-40) sts.

Next row: K5, p2, *knit into front and back of next st, p2; rep from * to end.

Rep the last 2 rows 3 times more.

Complete to match Left Front from ★ to end working 1 row more where indicated, **at the same time** continuing to make buttonholes to match markers on right side rows as before.



Sleeves

Using 4mm needles cast on 65(71-77-83-89) sts.

★★ **1st row:** P5, *knit into front and back of next st, p5; rep from * to end.

2nd row: K5, *p2tog, k5; rep from * to end.

3rd row (decrease): P2, p2tog, p1, *knit into front and back of next st, p2, p2tog, p1; rep from * to end.

4th row: K4, *p2tog, k4; rep from * to end.

5th row (decrease): P1, p2tog, p1, *knit into front and back of next st, p1, p2tog, p1; rep from * to end.

6th row: K3, *p2tog, k3; rep from * to end.

7th row (decrease): P1, p2tog, *knit into front and back of next st, p1, p2tog; rep from * to end.

8th row: K2, *p2tog, k2; rep from * to end. ★★ 32(35-38-41-44) sts.

Next row: P2, *knit into front and back of next st, p2; rep from * to end.

The last 2 rows form the patt. Work 3 more rows in patt. Keeping patt correct and bringing extra sts into patt, inc 1 st at each end of next and every foll 2nd(4th-4th-6th-6th) row until there are 38(43-44-45-54) sts then every foll 4th(6th-6th-6th-8th) row until there are 40(45-50-55-60) sts.

Work straight until sleeve measures 10(13-16-19-23) cms or required length ending with a wrong side row. Tie a marker at each end of last row. Work 6(8-8-8-8) more rows in patt. Cast off in patt.

Collar

Using 4mm needles cast on 99(99-109-119-129) sts.

1st row: P4, *knit into front and back of next st, p4; rep from * to end.

2nd row: K4, *p2tog, k4; rep from * to end.

Rep the last 2 rows once more.

5th row (decrease): P1, p2tog, p1, *knit into front and back of next st, p1, p2tog, p1; rep from * to end.

6th row: K3, *p2tog, k3; rep from * to end.

7th row: P3, *knit into front and back of next st, p3; rep from * to end.

Work 1(1-3-3-3) more rows in patt.

Next row (decrease): P1, p2tog, *knit into front and back of next st, p1, p2tog; rep from * to end.

Next row: K2, *p2tog, k2; rep from * to end. 59(59-65-71-77) sts.

Next row: P2, *knit into front and back of next st, p2; rep from * to end.

Work 1 more row in patt. Cast off in patt.

To Finish

Read pressing instructions on page 3.

Join shoulder and side seams. Join sleeve seams to markers. Insert sleeves placing rows above markers to cast off sts of armhole. Sew cast-off edge of collar to neck edge starting and finishing halfway across front bands. Sew on buttons.

Bonnet

Using 4mm needles cast on 125(143-155-173-185) sts and work as given for Sleeves from ★★ to ★★. 62(71-77-86-92) sts.

Next row: P2, *knit into front and back of next st, p2; rep from * to end.



The last 2 rows form the patt. Cont in patt until bonnet measures 9(10-11-12-13) cms ending with a wrong side row.

Shape Back

Next row (decrease): K5(3-1-2-1), *k2tog, k8(7-6-6); rep from * to last 7(5-4-4-3) sts, k2tog, k to end. 56(63-68-75-80) sts.

Work 3 rows in garter st (every row k).

Next row (decrease): K4(5-5-6-6), *sl 1, k2tog, pssso, k6(7-8-9-10); rep from * to last 7(8-8-9-9) sts, sl 1, k2tog, pssso, k to end. 44(51-56-63-68) sts.

Work 3 rows in garter st.

Next row: K3(4-4-5-5), *sl 1, k2tog, pssso, k4(5-6-7-8); rep from * to last 6(7-7-8-8) sts, sl 1, k2tog, pssso, k to end. 32(39-44-51-56) sts.

Work 3 rows in garter st.

Next row: K2(3-3-4-4), *sl 1, k2tog, pssso, k2(3-4-5-6); rep from * to last 5(6-6-7-7) sts, sl 1, k2tog, pssso, k to end. 20(27-32-39-44) sts.

Cont to dec 12 sts in this way on every foll 4th row 0(1-1-2-2) times more. 20(15-20-15-20) sts.

Work 3(1-3-1-3) rows in garter st.

Next row: K0(1-0-1-0), *k2tog; rep from * to end.

Break yarn, thread through rem 10(8-10-8-10) sts, draw up firmly and fasten off.

Finishing and Edging

Read pressing instructions on page 3. Join back seam from start of garter st.

Neck Edging: Using 3¼mm needles and with right side facing, pick up and k39(43-47-53-57) sts evenly around neck edge of bonnet, turn and cast on 10(12-14-16-18) sts. 49(55-61-69-75) sts. Work 3 rows in garter st.

Next row (buttonhole): K to last 4 sts, k2tog, yf, k2.

Work 2 more rows in garter st. Cast off knitwise. Sew on button.

10/11. Cabled Waistcoat & Cardigan



Measurements

To Fit Chest Sizes

40	45	50	55	60	cms
16	18	20	22	24	ins

Finished Measurement

47	52	58	63	69	cms
19	21	23	25	27½	ins

Length to Shoulder

25	28	33	37	42	cms
10	11	13	14½	16½	ins

Cardigan Sleeve Seam

13	16	19	23	28	cms
5	6½	7½	9	11	ins

Tension

22 sts and 32 rows = 10 cms [4 ins] over double moss st using 4mm needles.

Special Abbreviations

C2F (Cross 2 Front) = Knit into front of 2nd st on left hand needle, then knit first st, slipping both sts off needles at the same time.

C6B (Cable 6 Back) = Slip next 3 sts onto cable needle and hold at back of work, k3, then k3 from cable needle.

C6F (Cable 6 Front) = Slip next 3 sts onto cable needle and hold at front of work, k3, then k3 from cable needle.

Waistcoat

Back

Using 3¼mm needles cast on 51(57-63-69-75) sts.

1st row (right side): K1, *p1, k1; rep from * to end.

2nd row: P1, *k1, p1; rep from * to end.

Rep these 2 rows 3(3-3-4-4) times more, then 1st row again.

Next row (increase): Rib 5(7-9-11-13), [inc in next st, p1] 5 times, inc in next st, rib 19(21-23-25-27), [inc in next st, p1] 5 times, inc in next st, rib 5(7-9-11-13). 63(69-75-81-87) sts.

Change to 4mm needles and commence patt:

1st row: [P1, k1] 1(2-3-4-5) times, p3, C2F, p2, k9, p2, C2F, p3, [k1, p1] 7(8-9-10-11) times, p2, C2F, p2, k9, p2, C2F, p3, [k1, p1] 1(2-3-4-5) times.

2nd row: [K1, p1] 1(2-3-4-5) times, k3, p2, k2, p9, k2, p2, k3, [p1, k1] 7(8-9-10-11) times, k2, p2, k2, p9, k2, p2, k3, [p1, k1] 1(2-3-4-5) times.

3rd row: [K1, p1] 2(3-4-5-6) times, p1, C2F, p2, C6B, k3, p2, C2F, p2, [k1, p1] 7(8-9-10-11) times, k1, p2, C2F, p2, C6B, k3, p2, C2F, p2, [k1, p1] 1(2-3-4-5) times, k1.

4th row: [P1, k1] 2(3-4-5-6) times, k1, p2, k2, p9, k2, p2, k2, [p1, k1] 7(8-9-10-11) times, p1, k2, p2, k2, p9, k2, p2, k2, [p1, k1] 1(2-3-4-5) times, p1.

5th row: As 1st row.

6th row: As 2nd row.

7th row: [K1, p1] 2(3-4-5-6) times, p1, C2F, p2, k3, C6F, p2, C2F, p2, [k1, p1] 7(8-9-10-11) times, k1, p2, C2F, p2, k3, C6F, p2, C2F, p2, [k1, p1] 1(2-3-4-5) times, k1.

8th row: As 4th row.

These 8 rows form the patt. Cont in patt until back measures 13(15-19-21-24) cms ending with a wrong side row. Tie a marker at each end of last row.

Shape Armholes

Keeping patt correct dec 1 st at each end of next row, then every alt row 2(2-3-3-3) times, then every foll 4th row 1(2-2-2-3) times. 55(59-63-69-73) sts.

Work straight until armholes measure 12(13-14-16-18) cms ending with a wrong side row.

Shape Shoulders

Cast off 6(7-7-8-8) sts at beg of next 4 rows, then 7(6-7-7-8) sts at beg of foll 2 rows. Cast off rem 17(19-21-23-25) sts.

Pocket Linings (Make 2)

Using 4mm needles cast of 15(15-19-19-19) sts and work in reverse st st, starting purl (right side) for 5(5-6-6-7) cms ending with a purl row.

Next row (increase): K2 (2-4-4-4), [inc in next st, k1] 5 times, inc in next st, k2(2-4-4-4).

Break yarn and slip these 21(21-25-25-25) sts onto a holder.

Left Front

Using 3¼mm needles cast on 23(27-29-33-35) sts and work 9(9-9-11-11) rows in rib as given for Back.

Next row (increase): Rib 7(9-9-11-11), [inc in next st, p1] 5 times, inc in next st, rib 5(7-9-11-13). 29(33-35-39-41) sts.

Change to 4mm needles and commence patt:

1st row: [P1, k1] 1(2-3-4-5) times, p3, C2F, p2, k9, p2, C2F, p3, [k1, p1] 2(3-3-4-4) times.

2nd row: [K1, p1] 2(3-3-4-4) times, k3, p2, k2, p9, k2, p2, k3, [p1, k1] 1(2-3-4-5) times.

3rd row: [K1, p1] 2(3-4-5-6) times, p1, C2F, p2, C6B, k3, p2, C2F, p2, [k1, p1] 2(3-3-4-4) times, k1.

4th row: [P1, k1] 3(4-4-5-5) times, k1, p2, k2, p9, k2, p2, k2, [p1, k1] 1(2-3-4-5) times, p1.

5th row: As 1st row.

6th row: As 2nd row.

7th row: [K1, p1] 2(3-4-5-6) times, p1, C2F, p2, k3, C6F, p2, C2F, p2, [k1, p1] 2(3-3-4-4) times, k1.

8th row: As 4th row.

These 8 rows form the patt. Cont in patt until Front measures 8(8-9-9-10) cms ending with a wrong side row.

Place Pocket

Next row: Patt 3(5-5-7-9), slip next 21(21-25-25-25) sts onto a holder, work in patt across sts of one pocket lining, patt 5(7-5-7-7). 29(33-35-39-41) sts.

Cont in patt until front measures same as back to start of armhole shaping ending with a wrong side row. Tie a marker at end of last row.

★ Shape Armhole and Front Slope

Keeping patt correct dec 1 st at each end of next row. Dec 1 st at front edge on every foll 4th row, at the same time dec 1 st at armhole edge on every alt row 2(2-3-3-3) times, then every foll 4th row 1(2-2-2-3) times. 22(24-25-29-29) sts. Work 5(3-1-1-1) rows straight. Keeping armhole edge straight dec 1 st at front edge on next row, then every foll 6th(4th-4th-4th-6th) row 2(1-1-3-4) times. 19(22-23-25-24) sts.

2nd, 3rd and 4th sizes only: Dec 1 st at front edge only on every foll 6th row twice. (20-21-23) sts.

All sizes: 19(20-21-23-24) sts. Work straight until front measures same as back to start of shoulder shaping ending at armhole edge.

Shape Shoulder

Cast off 6(7-7-8-8) sts at beg of next and foll alt row. Work 1 row. Cast off rem 7(6-7-7-8) sts.

Right Front

Using 3¼mm needles cast on 23(27-29-33-35) sts and work 9(9-9-11-11) rows in rib as given for Back.

Next row (increase): Rib 5(7-9-11-13), [inc in next st, p1] 5 times, inc in next st, rib 7(9-9-11-11). 29(33-35-39-41) sts.

Change to 4mm needles and commence patt:

1st row: [P1, k1] 2(3-3-4-4) times, p3, C2F, p2, k9, p2, C2F, p3, [k1, p1] 1(2-3-4-5) times.

2nd row: [K1, p1] 1(2-3-4-5) times, k3, p2, k2, p9, k2, p2, k3, [p1, k1] 2(3-3-4-4) times.

3rd row: [K1, p1] 3(4-4-5-5) times, p1, C2F, p2, C6B, k3, p2, C2F, p2, [k1, p1] 1(2-3-4-5) times, k1.

4th row: [P1, k1] 2(3-4-5-6) times, k1, p2, k2, p9, k2, p2, k2, [p1, k1] 2(3-3-4-4) times, p1.

5th row: As 1st row.

6th row: As 2nd row.

7th row: [K1, p1] 3(4-4-5-5) times, p1, C2F, p2, k3, C6F, p2, C2F, p2, [k1, p1] 1(2-3-4-5) times, k1.

8th row: As 4th row.

These 8 rows form the patt. Cont in patt until front measures 8(8-9-9-10) cms ending with a wrong side row.

Place Pocket

Next row: Patt 5(7-5-7-7), slip next 21(21-25-25-25) sts onto a holder, work in patt across sts of one pocket lining, patt 3(5-5-7-9). 29(33-35-39-41) sts.

Cont in patt until Front measures same as Back to start of armhole shaping ending with a wrong side row. Tie a marker at beg of last row.

Complete to match Left Front from ★ to end reversing shaping.



Finishing and Edgings

Read pressing instructions on page 3.

Pocket Edgings: Using 3¼mm needles and with right side facing work across sts at pocket opening as follows: K2(2-4-4-4), [k2tog, k1] 5 times, k2tog, k2(2-4-4-4). 15(15-19-19-19) sts.

Starting with the 2nd row work 5 rows in rib as given for Back. Cast off in rib.

Join shoulder seams.

Armbands: Using 3¼mm needles and with right side facing pick up and k63(67-73-83-93) sts evenly around armhole edge between markers. Starting with the 2nd row work 5 rows in rib as given for Back. Cast off in rib.

Button Band: Using 3¼mm needles cast on 7 sts and work in rib as given for Back until band, when slightly stretched, fits up left front edge for Girl and right front edge for Boy and round to centre back neck, sewing in place as you go along. Cast off in rib.

Mark positions on band for 4(4-5-5-6) buttons, the first 1 cm above cast on edge and the top one to be 1 cm below start of front slope

shaping. Space remainder evenly between.

Buttonhole Band: Work as given for Button Band, **at the same time** making buttonholes to match markers on right side rows as follows: Rib 3, yf, k2tog, rib 2.

Join bands together at centre back neck. Sew pocket linings and edgings in place. Join side seams and ends of armbands. Sew on buttons.

Cardigan

Back, Pocket Linings and Fronts

Work as given for Waistcoat.

Sleeves

Using 3¼mm needles cast on 35(37-39-41-43) sts and work 9(9-9-11-11) rows in rib as given for Back.

Change to 4mm needles and commence patt:

1st row: P1, *k1, p1; rep from * to end.

2nd row: K1, *p1, k1; rep from * to end.

3rd row: K1, *p1, k1; rep from * to end.

4th row: P1, *k1, p1; rep from * to end.

These 4 rows form double moss st. Keeping patt correct and bringing extra sts into patt, inc 1 st at each end of next and every alt row until there are 51(47-47-53-51) sts, then every foll 4th row until there are 53(57-61-71-79) sts bringing extra sts into patt. Work straight until sleeve measures 13(16-19-23-28) cms or required length ending with a wrong side row.

Shape Top

Keeping patt correct dec 1 st at each end of next 2(4-4-4-4) rows. Cast off 3 sts at beg of next 4(4-4-4-6) rows. Cast off rem 37(37-41-51-53) sts.

Finishing and Edgings

Read pressing instructions on page 3.

Pocket Edgings: Work as given for Waistcoat.

Join shoulder seams, side and sleeve seams. Insert sleeves.

Button and Buttonhole Bands: Work as given for Waistcoat.

Join bands together at centre back neck. Sew pocket linings and edgings in place. Sew on buttons.

12/13. Heart Cardigan & Blanket

Measurements

To Fit Chest sizes

35	40	45	50	55	cms
14	16	18	20	22	ins

Finished Measurement

41	46	52	59	65	cms
16½	18½	21	23½	26	ins

Length to Shoulder

20	23	27	32	36	cms
8	9	10½	12½	14	ins

Sleeve Length

10	13	16	19	23	cms
4	5	6½	7½	9	ins

Blanket (approximately) 50 x 60 cms (20 x 24 ins).

Tension

22 sts and 30 rows = 10 cms [4 ins] over st st using 4mm needles.

Cardigan Back

Using 3¼mm needles and M cast on 45(51-57-65-71) sts.

1st row: K1, *p1, k1; rep from * to end.

Rep this row 7 times more for moss st.

Change to 4mm needles and work in st st until Back measures 12(14-16-19-21) cms ending with a p row.

Shape Raglan Armholes

Cast off 3 sts at beg of next 2 rows.

3rd row: K2, p2tog, k to last 4 sts, p2tog, k2.

4th row: P.

Rep these last 2 rows until 19(21-23-23-25) sts rem ending with the p row.

Next row: K2, p3tog, k to last 5 sts, p3tog, k2.

Next row: P.

Cast off rem 15(17-19-19-21) sts.

Left Front

Using 3¼mm needles and M cast on 25(29-31-35-39) sts and work 8 rows in moss st as given for Back.

Change to 4mm needles.

1st row (right side): K to last 4 sts, [p1, k1] twice.

2nd row: K1, [p1, k1] twice, p to end.

These 2 rows form st st and moss st front border.

Rep these 2 rows until Front measures same as Back to start of raglan shaping ending with a wrong side row.

Shape Raglan Armhole and Front Slope

Cast off 3 sts at beg of next row. Work 1 row.

3rd row: K2, p2tog, k to last 7 sts, k2tog, k1, [p1, k1] twice.

4th row: K1, [p1, k1] twice, p to end.

★ Cont to dec 1 st at raglan edge as before on next and every alt row **at the same time** dec 1 st inside front moss st border as before on 3rd and every foll 6th(4th-4th-6th-4th) row until 9(9-11-11-13) sts rem ending with the dec row. Keeping front edge straight, cont to dec 1 st at raglan edge only on foll 1(1-3-3-5) alt rows. 8 sts. Work 1 row. ★

Next row: K1, sl 1, k2tog, pssso, [p1, k1] twice.

Next row: [K1, p1] twice, k2tog.

Work 26(28-30-30-34) rows in moss st on rem 5 sts. Cast off in patt.

Mark positions on moss st front border for 3(3-4-4-4) buttons, the first 5 rows above cast on sts and the top one 1 cm below start of front slope shaping. Space remainder evenly between.

Right Front

Using 3¼mm needles and M cast on 25(29-31-35-39) sts and work 4 rows in moss st as given for Back.

Next row (buttonhole): K1, p2tog, yfrn, p1, k1, *p1, k1; rep from * to end.

Work 3 more rows in moss st.

Change to 4mm needles.

1st row (right side): [K1, p1] twice, k to end.

2nd row: P to last 5 sts, k1, [p1, k1] twice.

These 2 rows form st st and moss st front border.

Working buttonholes on right side rows as before to match markers, rep these 2 rows until Front measures same as Back to start of raglan shaping ending with a right side row.

Shape Raglan Armhole and Front Slope

Cast off 3 sts at beg of next row.

2nd row: K1, [p1, k1] twice, sl 1, k1, pssso, k to last 4 sts, p2tog, k2.

3rd row: P to last 5 sts, k1, [p1, k1] twice.

Work as given for Left Front from ★ to ★.

Next row: [K1, p1] twice, k3tog, k1.

Next row: K2tog, [p1, k1] twice.

Work 26(28-30-30-34) rows in moss st on rem 5 sts. Cast off in patt.

Sleeves

Using 3¼mm needles and M cast on 31(33-35-37-39) sts and work 8 rows in moss st as given for Back.

Change to 4mm needles and working in st st, inc 1 st at each end of every 5th and every foll 4th row until there are 39(39-45-45-47) sts.

2nd, 3rd, 4th and 5th sizes only: Inc 1 st at each end of every foll 6th row until there are 43(49-53-59) sts.

All sizes: Work straight until sleeve measures 10(13-16-19-23) cms, or required length ending with a p row.

Shape Raglan Top

Cast off 3 sts at beg of next 2 rows.

3rd row: K2, p2tog, k to last 4 sts, p2tog, k2.

4th row: P.

Rep the last 2 rows until 15(15-19-11-15) sts rem ending with the p row.



Next row: K2, p3tog, k to last 5 sts, p3tog, k2.

Next row: P.

Rep the last 2 rows 1(1-2-0-1) times more. Cast off rem 7 sts.

Pockets (Make 2)

Using 4mm needles cast on 17 sts and work 3 rows in moss st as given for Back. Joining in Contrast Colour A work 'Heart' Motif in st st as follows:

1st row (right side): K1, p1, k1, work 1st row of 'Heart' Motif across next 11 sts, k1, p1, k1.

Cont in this way until the 14 rows of motif have been completed. Break off A and cont in M only work 3 rows in moss st across all sts. Cast off in patt.

To Finish

Read pressing instructions on page 3. Join raglan, side and sleeve seams. Sew moss st bands across sleeve top and halfway across back neck and join at centre back neck. Sew pockets in position as illustrated. Sew on buttons.

"Heart" Motif (H)




11 Stitches

Read every row from right to left.

Do not weave yarn in at back of work, carry colour not in use **loosely** across back of work, twisting yarns together every 3rd or 4th st where more than 5 sts are worked in one colour, and also when changing colour to avoid making a hole.

"Kiss" Motif (K)



11 Stitches

Read every row from right to left.

Do not weave yarn in at back of work, carry colour not in use **loosely** across back of work, twisting yarns together every 3rd or 4th st where more than 5 sts are worked in one colour, and also when changing colour to avoid making a hole.

Key

- = Main Colour (M)
- x = Contrast colour (A)
- o = Contrast colour (B)

Blanket Diagram



Key

- H = 'Heart' Square
- K = 'Kiss' Square

Blanket Top Layer

Plain Squares (Make 42): Using 4mm needles and B cast on 17 sts and work 3 rows in moss st as given for Back of Cardigan.

4th row (right side): K1, p1, k13, p1, k1.

5th row: K1, p1, k1, p11, k1, p1, k1.

Rep the last 2 rows 6 times more, then work 3 rows in moss st across all sts. Cast off in patt.

'Heart' Motif Squares (Make 12): Work as given for Pockets of Cardigan.

'Kiss' Motif Squares (Make 9): Work to match 'Heart' Motif, following 'Kiss' motif and using B instead of A for contrast colour.

Lining

Using M throughout work 63 squares as given for Plain Squares of Top Layer.

To Finish

Read pressing instructions on page 3.

Following diagram join the 63 squares of Top Layer. Join the 63 squares of Lining to match. Sew Top Layer to Lining around all 4 edges. Stitch down each intersection between 4 squares of Top Layer to corresponding intersection between 4 squares of Lining.



14

Measurements

To Fit Chest Sizes

35	40	45	50	55	cms
14	16	18	20	22	ins

Finished Measurement

44	49	56	61	68	cms
17½	19½	22½	24½	27	ins

Length to Back Neck

21	24	29	36	40	cms
8½	9½	11½	14	15½	ins

Sleeve Seam

11	14	17	20	24	cms
4½	5½	6½	8	9½	ins

Tension

25 sts and 30 rows = 10 cms [4 ins] over patt using 4mm needles.

Back

Using 4mm needles cast of 55(61-70-76-85) sts.

1st row (right side): P1, *k2, p1; rep from * to end.

2nd row: K1, *yf, k2, sl the yf over the k2, k1; rep from * to end.

These 2 rows form the patt. Cont in patt until back measures 13(15-18-23-25) cms ending with a wrong side row.

Shape Raglan Armholes

Keeping patt correct cast off 2 sts at beg of next 2 rows.

3rd row: K1, sl 1, k1, psso, patt to last 3 sts, k2tog, k1.

4th row: P2, patt to last 2 sts, p2.

Rep the last 2 rows until 41(43-50-50-53) sts rem ending with the wrong side row.

Next row: K1, sl 1, k2tog, psso, patt to last 4 sts, k3tog, k1.

Next row: P2, patt to last 2 sts, p2.

Rep the last 2 rows until 17(19-22-22-25) sts rem ending with the wrong side row. Cast off.

Pocket Linings (Make 2)

Using 4mm needles cast on 13(13-16-16-19) sts and work 5(5-6-6-7) cms in patt as given for Back ending with a wrong side row. Break yarn and slip sts onto a holder.

Left Front

Using 4mm needles cast on 25(28-34-37-40) sts and work 6(6-7-8-9) cms in patt as given for Back ending with a wrong side row.

Place Pocket

Next row: Patt 6(9-9-12-12), slip next 13(13-16-16-19) sts onto a holder, patt across 13(13-16-16-19) sts of one pocket lining, patt to end. 25(28-34-37-40) sts.

Cont in patt until front measures same as back to start of raglan shaping ending with a wrong side row.

Shape Raglan Armhole

Keeping patt correct cast off 2 sts at beg of next row. Work 1 row.

Next row: K1, sl 1, k1, psso, patt to end.

Next row: Patt to last 2 sts, p2.

Rep the last 2 rows until 18(19-24-24-24) sts rem ending with the wrong side row.

Next row: K1, sl 1, k2tog, psso, patt to end. 16(17-22-22-22) sts rem.

Shape Neck

Next row: Cast off 1(2-4-4-4) sts, patt to last 2 sts, p2.

Cont to dec 2 sts at raglan edge on right side rows as before, **at the same time** dec 1 st at neck edge on next 3 rows, then foll 1(1-2-2-2) alt rows. 5 sts rem. Dec 2 sts at raglan edge only on foll alt row. 3 sts. Work 1 row.

Next row: K1, sl 1, k1, psso.

Next row: P2tog and fasten off.

Right Front

Using 4mm needles cast on 25(28-34-37-40) sts and work 6(6-7-8-9) cms in patt as given for Back ending with a wrong side row.


Place Pocket

Next row: Patt 6(6-9-9-9), slip next 13(13-16-16-19) sts onto a holder, patt across 13(13-16-16-19) sts of one pocket lining, patt to end. 25(28-34-37-40) sts.

Cont in patt until front measures same as back to start of raglan shaping ending with a right side row.

Shape Raglan Armhole

Keeping patt correct cast off 2 sts at beg of next row.



Next row: Patt to last 3 sts, k2tog, k1.

Next row: P2, patt to end.

Rep the last 2 rows until 18(19-24-24-24) sts rem ending with the wrong side row.

Next row: Patt to last 4 sts, k3tog, k1. 16(17-22-22-22) sts rem.

Next row: P2, patt to end.

Shape Neck

Next row: Cast off 1(2-4-4-4) sts, patt to last 4 sts, k3tog, k1.

Cont to dec 2 sts at raglan edge on right side rows as before, **at the same time** dec 1 st at neck edge on next 3 rows, the foll 1(1-2-2-2) alt rows. 5 sts rem. Dec 2 sts at raglan edge only on next row. 3 sts. Work 1 row.

Next row: K2tog, k1.

Next row: P2tog and fasten off.

Sleeves

Using 3¼mm needles cast on 34(37-37-40-43) sts and work 3(3-4-4-4) cms in patt as given for Back ending with a 2nd row. Purl 1 row (foldline), then starting with the 1st row cont in patt for 3(3-4-4-4) cms from foldline.

Change to 4mm needles and work 4 more rows in patt. Keeping patt correct and bringing extra sts into patt, inc 1 st at each end of next and every foll 2nd (2nd-2nd-4th-4th) row until there are 40(41-43-56-53) sts, then every foll 4th(4th-4th-6th-6th) row until there are 44(49-53-58-63) sts. Work straight until sleeve measures 11(14-17-20-24) cms from foldline or required length

ending with a wrong side row.

Shape Raglan Top

Keeping patt correct cast off 2 sts at beg of next 2 rows.

3rd row: K1, sl 1, k1, pssso, patt to last 3 sts, k2tog, k1.

4th row: P2, patt to last 2 sts, p2.

Rep the last 2 rows until 30(31-31-30-27) sts rem ending with the wrong side row.

Next row: K1, sl 1, k2tog, pssso, patt to last 4 sts, k3tog, k1.

Next row: P2, patt to last 2 sts, p2.

Rep the last 2 rows until 6(7-7-6-7) sts rem ending with the wrong side row. Cast off.

Hood

Using 4mm needles cast on 85(94-103-109-115) sts and work 4(6-8-8-8) rows in patt as given for Back. Keeping patt correct dec 1 st at each end of next 8(8-10-10-10) rows. 69(78-83-89-95) sts. Work straight until hood measures 12(13-14-15-16) cms ending with a wrong side row.

Shape Back

Cast off 3 sts at beg of next 10(10-12-12-12) rows. Cast off rem 39(48-47-53-59) sts.

Finishing and Edgings

Read pressing instructions on page 3.

Pocket Edgings: Using 3¼mm needles and with right side facing knit across 13(13-16-16-19)

sts at pocket opening dec 1 st at centre for 3rd and 4th sizes only. 13(13-15-15-19) sts.

1st row: P1, *k1, p1; rep from * to end.

2nd row: K1, *p1, k1; rep from * to end.

Rep the last 2 rows 1(1-1-2-2) times more, then 1st row again. Cast off loosely in rib.

Button Band: Using 3¼mm needles and with right side facing pick up and k47(55-67-81-93) sts evenly along left front edge for Girl's Jacket or right front edge for Boy's Jacket. Work 7 rows in rib as given for Pocket Edging. Cast off in rib.

Buttonhole Band: Pick up and k sts along rem front edge as given for Button Band. Work 3 rows in rib as given for Pocket Edging.

Next row (buttonholes): Rib 2(2-2-3-3), cast off next 2 sts, *rib until there are 8(10-10-10-12) sts on right hand needle after casting off, cast off next 2 sts, rep from * 3(3-4-5-5) times more, rib to end.

Work 3 more rows in rib casting on 2 sts over each buttonhole on first of these rows. Cast off in rib.

Join raglan seams. Sew pocket linings and edgings in place. Join back seam of hood. Sew hood to neck edge starting and finishing halfway across front bands and easing in across back neck as necessary. Join sleeve seams reversing seam on cuff below foldline. Join side seams leaving 4(4-5-5-5) cms open at lower edge. Sew on buttons. Turn back cuffs.

15-18. Cardigans, Hat & Bootees

(Also shown on back cover)



Measurements

To Fit Chest Sizes

35	40	45	50	55	cms
14	16	18	20	22	ins

Jacket

Finished Measurement at chest

39	44	50	55	61	cms
15½	17½	20	22	24½	ins

Length to Shoulder (approximately)					
20	23	28	33	38	cms
8	9	11	13	15	ins

Sleeve Seam					
10	13	16	19	23	cms
4	5	6½	7½	9	ins

Tension

22 sts and 30 rows = 10 cms [4 ins] over st st using 4mm needles

V-Neck Cardigan

Back

Using 4mm needles cast on 51(59-67-71-79) sts.

1st row (wrong side): K1, *yf, sl 1 purlwise, yb, k3; rep from * to last 2 sts, yf, sl 1 purlwise, yb, k1.

2nd row: K3, *yf, sl 1 purlwise, yb, k3; rep from * to end.

These 2 rows form the border patt. Rep these 2 rows 4(4-6-6-6) times more. P1 row, dec 2 sts evenly for 2nd and 3rd sizes only. 51(57-65-71-79).

Work 4 rows in st st. Cont in st st, dec 1 st at each end of next and every foll 6th(8th-8th-10th-10th) row until 43(49-55-61-67) sts rem. Work 3(3-5-9-11) rows straight, thus ending with a purl row. Tie a marker at each end of last row to mark end of side seam.

Shape Armholes

Dec 1 st at each end of next row, then every alt

row 1(1-2-3-3) times, then every foll 4th row 2(2-2-3) times. 35(41-45-49-53) sts. Work 13(15-17-17-17) rows straight, thus ending with a purl row.

Shape Shoulders

Cast off 5(6-6-7-7) sts at beg of next 2 rows, then 5(6-7-7-8) sts at beg of foll 2 rows. Cast off rem 15(17-19-21-23) sts.

Sleeves

Using 4mm needles cast on 31(31-35-35-39) sts and work 10 rows in border patt as given for Back. P1 row, dec 2 sts evenly for 1st, 3rd and 5th sizes only. 29(31-33-35-37) sts.

Work 2 rows in st st. Inc 1 st at each end of next and every foll 4th(6th-6th-6th-6th) row until there are 35(39-43-49-53) sts. Work straight until sleeve measures 10(13-16-19-23) cms or required length ending with a purl row.

Shape Top

Dec 1 st at each end of next 2(2-4-4-4) rows. Cast off 3 sts at beg of next 4(4-4-4-6) rows. Cast off rem 19(23-23-29-27) sts.

Left Front

Using 4mm needles cast on 28(32-36-40-44) sts

1st row (wrong side): K6, *yf, sl 1 purlwise, yb, k3; rep from * to last 2 sts, yf, sl 1 purlwise, yb, k1.

2nd row: *K3, yf, sl 1 purlwise, yb; rep from * to last 8 sts, k8.

These 2 rows form the border patt and garter st front band. Rep these 2 rows 4(4-6-6-6) times more. Work 1 row, dec 0(1-1-2-2) sts evenly. 28(31-35-38-42) sts.

Next row: Knit

Next row: K5, p to end.

Rep the last 2 rows once more. Keeping 5 sts at front edge in garter st as set, dec 1 st at beg (side edge) of next and every foll 6th(8th-8th-10th-10th) row until 24(27-30-33-36) sts rem. Work 3(3-5-9-11) rows straight, thus ending with a wrong side row. Tie a marker at end of last row ★.

Shape Armhole and Front Slope

Next row: K2tog, knit to last 7 sts, k2tog, k5.

Next row: K5, p to end.

★★ Dec 1 st at armhole and front edge (inside garter st band as before) on next row, then every alt row 0(0-1-2-2) times, then every foll 4th row 2(2-2-2-3) times. 16(19-20-21-22) sts. Keeping armhole edge straight, dec 1 st at front edge as before on every foll 4th row 1(2-2-2-2) times. 15(17-18-19-20) sts.

Work 9(7-9-9-9) rows straight (work 1 row more here for Right Front), thus ending at armhole edge.

Shape Shoulder

Cast off 5(6-6-7-7) sts at beg of next row, then 5(6-7-7-8) sts at beg of foll alt row. 5 sts rem. Cont in garter st on these 5 sts until band fits halfway across back neck. Cast off.

Mark positions on garter st band for 4(4-4-5-5) buttons, the first 3 rows above cast on edge and the top one to be 1 cm below start of front slope shaping. Space remainder evenly between.

Right Front

Using 4mm needles cast on 28(32-36-40-44) sts.

1st row (wrong side): K1, *yf, sl 1 purlwise, yb, k3; rep from * to last 7 sts, yf, sl 1 purlwise, yb, k6.

2nd row: K8, *yf, sl 1 purlwise, yb, k3; rep from * to end.

These 2 rows form the border patt and garter st front band. Work 1 row.

4th row (buttonhole): K1, k2tog, yf, k5, *yf, sl 1 purlwise, yb, k3; rep from * to end.

Continuing to make buttonholes on right side rows to match markers throughout, work as follows:

Work 7(7-11-11-11) more rows in border patt, dec 0(1-1-2-2) sts evenly across last row. 28(31-35-38-42) sts.

Next row: Knit.

Next row: P to last 5 sts, k5.

Rep the last 2 rows once more. Keeping 5 sts at front edge in garter st as set, dec 1 st at end (side edge) of next and every foll 6th(8th-8th-10th-10th) row until 24(27-30-33-36) sts rem. Work 3(3-5-9-11) rows straight, thus ending with a wrong side row. Tie a marker at beg of last row ★★★.

Shape Armhole and Front Slope

Next row: K5, sl 1, k1, pssso, knit to last 2 sts, k2tog.

Next row: P to last 5 sts, k5.

Complete to match Left Front from ★★ to end, reversing shaping by working 1 row more where indicated.

To Finish

Read pressing instructions on page 3.

Join shoulder, side and sleeve seams. Sew garter st bands across back neck and join bands together at centre back neck. Insert sleeves. Sew on buttons.

Round Neck Cardigan Back and Sleeves

Work as given for Back and Sleeves of V-Neck Cardigan but leave sts on holder at back neck instead of casting off.

Left Front

Work as given for Left Front of V-Neck Cardigan to ★.

Shape Armhole

Dec 1 st at **beg** of next row, then every alt row 1(1-2-3-3) times, then every foll 4th row 2(2-2-2-3) times. 20(23-25-27-29) sts. Work 2(4-4-4-2) rows straight (work 1 row more here for Right Front), thus ending at front edge.

Shape Neck

Next row: Work 6(7-7-8-8) sts, slip these sts onto a safety pin, work to end.

Dec 1 st at neck edge on next 3 rows, then every alt row 1(1-2-2-3) times, 10(12-13-14-15) sts. Work 5 rows straight, thus ending at armhole edge.

Shape Shoulder

Cast off 5(6-6-7-7) sts at beg of next row. Work 1 row. Cast off rem 5(6-7-7-8) sts.

Mark positions on garter st border for 4(4-4-5-5) buttons, the first 3 rows above cast on edge and allowing for a 5th(5th-5th-6th-6th) to be 1 cm above sts on safety pin. Space remainder evenly between.

Right Front

Work as given for Right Front of V-Neck Cardigan to ★★★.

Complete to match Left Front reversing shaping by working armhole decs at **end** of rows and working 1 row more where indicated.

Finishing and Neckband

Read pressing instructions on page 3.

Join shoulder seams.

Neckband

Slip 6(7-7-8-8) sts on safety pin at right front neck onto a 3¼mm needle, then with right side facing pick up and k13(13-14-14-17) sts up right front slope, knit across 15(17-19-21-23) sts at back neck, pick up and k13(13-14-14-17) sts down left front slope, then k6(7-7-8-8) sts from safety pin at left front neck 53(57-61-65-73) sts.

1st row: K6, yf, sl 1 purlwise, yb, *k3, yf, sl 1 purlwise, yb; rep from * to last 6 sts, k6.

2nd row: K8, yf, sl 1 purlwise, yb, *k3, yf, sl 1 purlwise, yb; rep from * to last 8 sts, k8.

Rep 1st row once more.

4th row (buttonhole): K1, k2tog, yf, k5, yf, sl 1 purlwise, yb, *k3, yf, sl 1 purlwise, yb; rep from * to last 8 sts, k8.

Work 3 more rows in patt as set. Cast off in patt.

Join side and sleeve seams. Insert sleeves. Sew on buttons.

Hat

Using 4mm needles cast on 79(87-95-99-107)

sts and work 4(4-5-5-5) cms in border patt as given for Back of Cardigan ending with a 1st row. P1 row dec 1(2-3-0-1) sts evenly. 78(85-92-99-106) sts.

Work in st st, starting knit (right side) until hat measures 14(15-15-16-16) cms ending with a purl row.

Shape Crown

1st row: K1, *k2tog, k5; rep from * to end. 67(73-79-85-91) sts.

2nd and every alt row: Purl

3rd row: K1, *k2tog, k4; rep from * to end. 56(61-66-71-76) sts.

5th row: K1, *k2tog, k3; rep from * to end. 45(49-53-57-61) sts.

Cont to dec 11(12-13-14-15) sts in this way on foll 2 alt rows. 23(25-27-29-31) sts. Purl 1 row.

Next row: K1, *k2tog, rep from * to end.

Break yarn, thread through rem 12(13-14-15-16) sts, draw up firmly and fasten off.

To Finish

Join back seam reversing seam on border patt. Turn back brim.

Bootees

Using 4mm needles cast on 31(35-35-39-39) sts and work 8(8-10-10-12) rows in border patt as given for Back of Cardigan. P1 row, dec 2 sts evenly. 29(33-33-37-37) sts.

Next row (eyelets): K1, *yf, sl 1, k2tog, pssso, yf, k1; rep from * to end.

Next row: Purl

Divide for Instep

Next row: K19(22-22-25-25), turn

Next row: P9(11-11-13-13), turn.

Work 12(14-14-16-18) rows in st st on these 9(11-11-13-13) sts, thus ending with a purl row. Break yarn.

With right side facing, starting where the 10(11-11-12-12) sts were left on right-hand needle, pick up and k9(10-10-12-13) sts evenly along first side of instep, k9(11-11-13-13) sts of instep, pick up and k9(10-10-12-13) sts along 2nd side of instep, then k10(11-11-12-12) sts on left-hand needle. 47(53-53-61-63) sts.

Work 5(5-7-7-9) rows in st st, starting purl.

Shape Sole

1st row: K1, *sl 1, k1, pssso, k17(20-20-23-24), k2tog*, k3(3-3-5-5), rep from * to * once more, k1. 43(49-49-57-59) sts.

2nd and every alt row: Knit

3rd row: K1, *sl 1, k1, pssso, k15(18-18-21-22), k2tog*, k3(3-3-5-5), rep from * to * once more, k1. 39(45-45-53-55) sts.

5th row: K1, *sl 1, k1, pssso, k13(16-16-19-20), k2tog*, k3(3-3-5-5), rep from * to * once more, k1. 35(41-41-49-51) sts.

Cont to dec 4 sts in this way on every alt row 0(1-1-2-2) times more. Cast off rem 35(37-37-41-43) sts.

To Finish

Join back and foot seams. Thread length of ribbon through eyelets as illustrated.

15-18

